

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S65	1484	(118/712).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:35
S66	228	(118/713).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S67	258	(118/689).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S68	1207	(425/464).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S69	1141	(425/466).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S70	1736	"425"/\$.ccls. and (extrusion or extruding or extruder) near20 (slit or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S71	967	"156"/\$.ccls. and (extrusion or extruding or extruder) near20 (slit or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S72	448	"156"/\$.ccls. and (extrusion or extruding or extruder) near2 (slit or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20

S73	0	482/382.4.ccls. and (extrusion or extruding or extruder) and ((thickness or weight or density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S74	0	482/382.4.ccls. and ((thickness or weight or density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S75	1484	(118/712).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S76	228	(118/713).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S77	258	(118/689).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S78	0	S75 and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S79	0	S76 and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S80	0	S77 and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20

S81	0	118/689.ccls. and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S82	1	"5074243".PN.	USPAT; USOCR	OR	ON	2005/09/05 18:20
S83	66	"425"/\$.ccls. and (extrusion or extruding or extruder) near20 (slit or slot) and (forming near2 member)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S84	48	"118"/\$.ccls. and (extrusion or extruding or extruder) and ((thickness or weight or density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S85	4	"118"/\$.ccls. and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S86	21	"425"/\$.ccls. and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S87	26	"264"/\$.ccls. and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S88	6	118/689.ccls. and (extrusion or extruding or extruder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:37
S89	4	S76 and (extrusion or extruding or extruder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20

S90	45	S75 and (extrusion or extruding or extruder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S91	349	(425/382.4).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S92	377	(425/465).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S93	444	"118"/\$.ccls. and (extrusion or extruding or extruder) near20 (slit or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:20
S94	497	(425/463).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S95	606	(425/462).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S96	811	(425/467).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20
S97	1362	(425/461).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 18:20

S99	384	(slit) with (extrusion or extruding or extruder) and manifold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 18:37
S10 1	119	(slit) with (extrusion or extruding or extruder) with manifold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 20:30
S10 2	15	KUROMIYA.in. with TAKAO.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 19:01
S10 3	642	(slit) with (extrusion or extruding or extruder) with nozzle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/05 20:30